A

Abdel-Salam MM, 40
Abernethy ML, 691
Acevedo P, 460
Ades EW, 683
Agren MS, 709
Ahlfors E, 116SA
Akamatsu H, 509
Alaibac M, 237
Albelda SM, 350
Aliaga A, 116SA
Alkemade H, 3
Allen MH, 504
Amento EP, 337
Anderson RGW, 7S
Andersson L, 111SA, 113SA
Anhalt GJ, 819
Annarella M, 27
Anton-Lamprecht I, 550
Appleby M, 422
Arndt KA, 594
Arnett FC, 129
Asada M, 474
Asghar S, 853
Asselineau D, 54S
Astrom A, 283
Auger F, 59S

B

Baadsgaard O, 515
Babu M, 579, 650
Backendorf C, 743
Bacon K, 784
Baer RL, 5S
Bailly C, 116SA
Bakels V, 361, 749
Baker E, 542
Bare JW, 524
Barker JNWN, 504
Barnetson RStC, 83S
Bartosik J, 53, 111SA
Basketter DA, 107S
Basset P, 870
Basset-Seguin N, 174
Bauer EA, 337
Becker D, 545
Béjui-Thivolet F, 116SA
Bellocq J-P, 870
Bendsoe N, 113SA
Bennion SD, 251
Berger J, 665
Berger R, 115SA, 271
Bergstresser PR, 537, 1S, 18S, 42S, 112SA, 117SA
Berman B, 35
Bernard P, 174
Bernengo MG, 151
Bernfield M, 390
Bertram JS, 460
Bieber T, 10S, 15S, 113SA
Binder M, 180
Blacker KL, 859
Blake DR, 675
Blank IH, 664
Blight A, 422
Blumenberg M, 206, 842
Boden D, 608
Boileau N, 743
Bonifas JM, 524
Boom B, 114SA
Bos ID, 853, 112SA, 115SA
Bosi A, 115SA
Bosse DC, 683
Bouwes Bavinck JN, 528
Boyd CD, 660
Braathen LR, 109S
Bradley KL, 403
Brand CU, 109S
Breit SN, 779
Bretton RH, 374
Brevé J, 117SA
Briggaman RA, 691
Brisson C, 27S
Brown EJ, 715
Brown EL, 59
Bruckner-Tuderman L, 550, 808
Bruijnzeel-Koomen CAFM, 103S
Bruyers S, 66S, 113SA
Bucana C, 20S
Bucana CD, 365
Buckley CC, 184
Buckmeier JA, 764
Bülow J, 357
Burt CT, 431
Busch C, 795

C

Cáceres-Dittmar G, 95S, 115SA, 116SA
Callen DF, 542
Cameron GS, 189
Camp R, 514, 784
Campbell IT, 78
Candal FJ, 683
Caorsi I, 112SA
Carlsson K, 116SA
Caruso A, 114SA
Cassin M, 90
Castells-Rodellas A, 117SA
Cazenave J-P, 15S, 27S, 113SA
Célérier P, 113SA
Celis JE, 299
Cerny A, 113SA
Chambon P, 870
Chan LS, 315
Chan SC, 65
Chandrasekar A, 594
Chema D, 27
Chen MA, 524
Chen WYJ, 559
Chenard M-P, 870
Chew SL, 565
Chren M-M, 664
Christensen ND, 813
Christian CB, 813
Christiano AM, 519, 660
Christophers E, 306
Chu T, 237
Ciccarelli A, 723
Circillo R, 723
Cohen PA, 112SA
Cohen PJ, 331, 112SA
Colp P, 59S
Compton JG, 697
Concha M, 112SA
Cook ME, 691
Coombs BD, 468
Cooper KD, 315, 343, 112SA, 117SA
Courtellemont P, 114SA
Craig S, 440
Creek KE, 513
Cremona O, 151
Cruz PD Jr, 537, 1S, 18S, 42S, 112SA, 117SA
Cumberbatch M, 48S, 107S
Cunliffe WJ, 95
Czech W, 114SA
Czerkinsky C, 111SA
Czernielewski J, 54S

D

Dai R, 112SA
Dalbiez-Gauthier C, 87S, 115SA
Dale BA, 824
Dalenbring M, 116SA
Dandie GW, 51S
Darmstadt GL, 397
Das PK, 112SA, 115SA
David-Bajar KM, 251
Davidson JM, 129
Davies PJA, 27
de Almeida HL Jr, 474
Dean S, 59S
Dearman RJ, 107S
De Geus B, 587
De Haan-Meulman M, 117SA
De Jong MCJM, 489
De la Salle C, 10S, 15S, 113SA
De la Salle H, 10S, 15S, 113SA
DeLeo VA, 565
De Ley M, 114SA
Delorme P, 99S
Démarchez M, 54S
Denis A, 113SA
De Panfilis G, 114SA
de Paulis A, 723
Desgranges C, 99S
De Silva O, 115SA
DeSpain JD, 251
Detmar M, 474, 531
De Vries IJ, 853
De Waal LP, 853
De Weger RA, 587
De Wit PEJ, 168
De Young LM, 884
Dezutter-Dambuyant C, 12S, 99S, 113SA
Diaz LA, 78, 243, 258
Didierjean L, 174
Diegelmann R, 579, 650
Diepgen T, 114SA
Do HC, 258
Dolezal I, 180
Domenico J, 403
Donnenberg AD, 397
Dossou KG,115SA
Drayer NM, 853
Dréno B, 113SA
Drexhage HA, 117SA
Duell EA, 703
Dumont M, 415
Dunham WR, 703
Dunner K Jr, 365, 20S
Dupont E, 415
Durand de Grossouvre P, 870
Durepaire N, 174
Dusserre N, 99S
Duvic M, 27, 129
Dyson M, 729

E

Eady RAJ, 19
Eaglstein WH, 709
Ebersold A, 99S
Edelbaum D, 117SA
Egbaria K, 108
Eisen AZ, 497
Elbe A, 116SA
Elder JT, 283, 343
Elias PM, 216, 755
Emery DJ, 243
English KB, 120
Enk AH, 39S
Epstein EH Jr, 524
Eriksson U, 795
Esposito-Farese M-E, 15S, 113SA
Evans R, 59
Eyre HJ, 542

F

Facchetti F, 114SA
Falck B, 111SA, 113SA
Fantini F, 734, 116SA
Farmer ER, 397
Fauler J, 8
Febrer-Bosch I, 117SA
Fehr B, 112SA
Feingold KR, 216
Fierro MT, 151
Fietz MJ, 542
Figueroa CD, 112SA
Fine J-D, 12
Finkel LJ, 283
Fisher GJ, 283, 343
FitzGerald GB, 289
Fitzpatrick JE, 667
Fleischmann M, 113SA
Födinger D, 30S
Foltin SK, 343
Foster CA, 48, 271, 111SA
Frants RR, 528
Freedberg IM, 206, 842
Fridman WH, 15S
Friedman H, 78

A indicates abstract; S indicates supplement.

0022-202X/92/$05.00 Copyright © 1992 by The Society for Investigative Dermatology, Inc.

Friedmann PS, 904
Frölich J, 8
Fryer P, 33S
Fuchs E, 671
Furue M, 23S, 515

G

Gachet C, 27S
Galli SJ, 594
Gammon WR, 691
Ganguly S, 381, 887
Garces G, 112SA
García-Borrón JC, 435
Garmyn M, 743
Gartner S, 1A, 271
Gebhart W, 160
Gedde-Dahl T Jr, 550
Geerts M-L, 749
Gelfand EW, 403
George VG, 683
Gerometta J, 112SA
Ghadially R, 755
Giannetti A, 18S
Giannotti B, 115SA
Gianotti B, 168
Gilchrest BA, 743
Giro MG, 129
Girolomoni G, 18S, 112SA
Giudice GJ, 243, 258
Goldberg GS, 836
Goldsmith LA, 524
Goldstein SM, 138
Golitz LE, 251, 666
Gollnick H, 474
Goltz RW, 668
Gonzalez-Ramos A, 112SA
Gordijn RJL, 749
Gould SJ, 107S
Grabbe S, 66S, 113SA
Graham GJ, 114SA
Graham MJ, 764
Granstein RD, 66S, 113SA
Graves PJ, 445
Greaves M, 514
Greenspan JS, 40
Griffiths CEM, 146, 283, 343
Griffiths S, 33S
Gruis NA, 528
Gruschwitz MS, 114
Guo H, 460
Guy RH, 310

H

Ha V, 864
Haas AF, 445
Haggerty JG, 374, 381, 887
Hall RP III, 873
Halliday GM, 83S
Hamanaka S, 232
Hammerberg C, 315, 112SA
Hanau D, 10S, 15S, 27S, 113SA
Hanifin JM, 65
Hansen C, 440
Hansen ER, 515
Happle R, 528
Harada K, 278
Hart J, 729
Haseltine WA, 89S
Haskard DO, 504
Haslberger A, 294
Hauser C, 113SA
Hawk JLM, 504
He YG, 104S
Headington JT, 117SA
Heeres K, 489
Heidenheim M, 515
Henderson KG, 117SA
Hettmannsperger U, 531
Heufler CH, 114SA
Hickie RA, 764
Hill S, 33S
Hinkes MT, 390
Ho CT, 848
Ho KK-L, 83S
Hodam JR, 513
Hoek A, 117SA
Holbrook KA, 824
Holland DB, 95
Holmes EH, 601
Holoshitz J, 112SA
Honoré B, 299
Hopkinson SB, 264
Horiguchi Y, 12
Horn TD, 397
Hornstein OP, 114
Hou SYE, 755
Hovingh P, 386
Hu H-Z, 587
Hunt SW III, 691
Hunziker T, 109S

I

Imamura S, 12
Imokawa G, 482
Irik D, 112SA, 115SA
Ishibashi Y, 515, 23S
Ishida-Yamamoto A, 19
Isseroff RR, 445
Ito M, 232
Ivison C, 184
Izui S, 113SA
Izumi H, 819

J

Jara JR, 435
Jaroszewski J, 774
Jeevan A, 59
Jenkins MK, 62S
Jensen PJ, 350
Jia M-H, 237
Johansson O, 734
Johnson JG, 62S
Jones JCR, 264
Jones PL, 422
Jonkman MF, 489
Jonsson R, 111SA
Judge MR, 19
Juhlin L, 639
Jujo K, 403
Jullien D, 656

K

Kalm C, 306
Kammler H-J, 531
Kämpgen E, 114SA, 803
Kang K, 315
Kanitakis J, 116SA
Kapp A, 114SA
Kapsenberg M, 115SA
Karaś Z, 774
Katelaris A, 779
Katz SI, 331, 39S, 112SA
Kawabe K, 23S
Keane KM, 146, 343
Kennedy R, 129
Keski-Oja J, 193
Khoury EL, 40
Kikuchi K, 201
Kilgus O, 30S, 116SA
Kimber I, 48S, 107S, 115SA
Kinet J-P, 30S
King LE Jr, 645
Knight SC, 33S
Knobler RM, 160
Knop J, 545
Knopp J, 56S
Kobayashi N, 634
Koch F, 803, 114SA
Koch RL, 431
Koebrugge EJ, 71
Koenders PG, 168
Kolde G, 56S
Koli K, 193
Koñig A, 808
Korge BP, 697
Kraal G, 608, 95S, 115SA, 116SA, 117SA
Kreider JW, 813
Kripke ML, 59, 365, 20S
Kristensen JK, 357
Kronberger A, 836
Krueger GG, 120
Krutmann J, 114SA
Kugelman LC, 381, 887
Kurimoto I, 69S, 74S

L

Labib RS, 819
Labrie F, 415
Lam C, 294
Lane EB, 19
Lang S, 729
Langhoff E, 89S
Lauharanta J, 808
Lawley TJ, 683, 715
Lawlor F, 514
Leach K, 283
Leary T, 422
Lebwohl MG, 660
Lee DJ, 431
Lee K-H, 859
Lee KH, 715
Lee LA, 251
Lee MK, 524
Lee MS, 112SA
Leffers H, 299
Leiferman KM, 504
Leigh IM, 12, 19, 71, 516
Leonhartsberger H, 160
Le Poole C, 112SA, 115SA
LeRoy EC, 201
Leung DYM, 65, 403, 666
Levarlet B, 12S
Li K, 258
Li S-H, 65
Lieb LM, 108
Lindberg M, 116SA
Lindley I, 294
Linker A, 386
Lipkow T, 56S
Lisby S, 515
Litoux P, 113SA
Lonati A, 114SA
Lopes Valle C, 59S
Lozano JA, 435
Luger TA, 114SA
Lundahl P, 116SA
Luu-The V, 415
Lydon MJ, 559
Lynch JA, 729
Lyons MB, 454

M

MacDonald DM, 504
Madsen P, 299
Mallet F, 99S
Mammolenti M, 74S
Manganoni AM, 114SA
Manos S, 715
Marcelo CL, 703
Marchisio PC, 151
Mariman E, 528
Markey AC, 516
Marone G, 723
Martikainen A-L, 623
Martínez-Liarte JH, 435
Martins-Castro R, 78
Masutani H, 101
Matsue H, 537, 42S
Matsui MS, 565
Maurer D, 30S
Maurer Th, 114SA
McCarthy JB, 787
McFadden J, 784
McGrath JA, 19
Meijer CJLM, 749
Mellette JR, 884
Mertz PM, 709
Meunier L, 112SA
Meyskens FL Jr, 764
Michel S, 639
Mihara M, 572
Mikulowska A, 111SA, 113SA
Milner ME, 824
Milstone LM, 374, 381, 887
Mischke D, 474, 697
Mitra RS, 882
Miura M, 572
Mizoguchi S, 116SA
Modlin R, 885
Modlin RL, 848
Mohamadzadeh M, 545, 56S
Mollemann G, 665
Mommaas AM, 71, 114SA
Moncuit J, 15S
Moodycliffe AM, 115SA
Mooij P, 117SA
Morales M, 15S, 113SA
Moretti S, 168
Mori M, 115SA
Morris J, 237
Morris CJ, 675
Morse HC III, 113SA
Mosca W, 116SA
Moulon C, 114SA
Mudde GC, 103S
Mulder AA, 71, 114SA
Mulé JJ, 112SA
Muller HK, 51S, 117SA
Munn CG, 365
Murad S, 864
Murakami T, 278
Muramatsu T, 634

N

Naito M, 46S, 116SA
Nakagawa H, 515
Nakamura K, 23S
Nanney LB, 645
Natsuaki Ma, 138
Natsuaki Me, 138
Neumann C, 8
Neumann RA, 160
Nickoloff BJ, 882
Niederkorn JY, 1S, 104S
Nindl M, 515, 23S
Nishimura K, 617
Nordlinder H, 795
Norris DA, 1, 454, 892
Norris PG, 504
Norval M, 115SA
Novelli M, 151

O

Ôba K, 629
Ochiai K, 30S
O'Guin WM, 824
Ohlmann P, 27S
Ohmen JD, 848
Ohnishi T, 634
Ohtake N, 116SA
Ohtsuki M, 206
O'Keefe EJ, 117
Okuda M, 482
Oliver N, 579, 650
Olsen DR, 409
Orfanos CE, 474, 509, 531
Oriente A, 723
Oriol O, 95S, 115SA, 116SA
Osawa K, 232
Otsuka F, 232
Owsianowski M, 531

P

Padilla KM, 691
Page JM, 95
Palmer RD, 146
Paludan K, 830
Parkinson EK, 114SA
Parkinson K, 422
Parks WC, 497
Parsa FD, 460
Payer E, 116SA
Péguet-Navarro J, 87S, 114SA, 115SA
Pehamberger H, 180
Pelletier G, 415
Pence BC, 189
Penny R, 779
Peters SW, 107S
Petersen LJ, 357
Petersen MJ, 440
Philit F, 99S
Pickel MD, 813
Piepkorn M, 386
Pimpinelli N, 115SA
Pineau N, 115SA
Pinnell SR, 864
Popovic M, 111SA
Poulter LW, 184
Pragnell IB, 114SA
Preesman AH, 587
Prezioso JA, 289
Price VH, 40
Prignano F, 115SA
Prisayanh PS, 691
Proksch E, 216
Prost C, 174
Punnonen K, 221

R

Rademaker AW, 227
Ragg SJ, 51S
Rajka G, 361
Ramachandran C, 108
Rambukkana A, 112SA, 115SA
Rapini R, 129
Rappersberger K, 271, 323, 111SA
Rasmussen HH, 299
Rea TH, 848
Reddy AP, 283
Redziniak G, 113SA, 114SA
Régnier M, 54S
Reichert U, 639
Reitsma R, 587
Renz H, 403
Reske K, 545
Rettig Emanuel J, 241, 363, 517, 669
Rhodes LM, 703
Riddelle KS, 264
Rieger A, 30S
Rijlaarsdam U, 749
Robinson JK, 227
Roca-Miralles M, 116SA
Rocha-Alvarez R, 78
Rock B, 819
Rodeck U, 350
Rogers AA, 559
Rogers GE, 542
Romagnoli P, 115SA
Romani N, 803, 114SA
Rood PA, 445
Rook AH, 90
Roos N, 323
Rosenberg SA, 112SA
Rosenthal DS, 283
Ross JR, 104S
Rowden G, 59S
Ruiter DJ, 168
Rupniak HT, 95
Rustin MHA, 184
Rutter WJ, 138
Ryan DH, 787
Ryynänen J, 409

S

Sabb P, 315
Sagawa K, 23S
Saintigny G, 639
Saitoh A, 116SA
Saksena P, 795
Sánchez MA, 95S, 115SA, 116SA
Sanderson RD, 390
Santana H, 819
Santantonio ML, 18S
Santucci M, 115SA
Sarret Y, 656, 836
Saurat J-H, 174, 113SA
Savoia P, 151
Sawamura D, 258
Schaart F-M, 474
Schalkwijk J, 3
Schallreuter KU, 665
Scheper RJ, 608
Scheynius A, 116SA
Schmidt R, 639
Schmitt D, 656, 12S, 87S, 99S, 113SA, 114SA, 115SA,
Schmitt DA, 27S
Schnyder UW, 550
Schöpf E, 114SA, 80S
Schreiber S, 116SA
Schroeder WT, 27
Schuler G, 803, 114SA
Schuurman H-J, 587
Schwartz LB, 138
Scott G, 787
Serizawa S, 232
Sharpe RJ, 594
Shimao S, 572
Shirai T, 634
Shroot B, 639
Shultz LD, 46S
Siciliano MJ, 27
Siegenthaler G, 795
Simon JC, 80S, 114SA
Sinn S, 114SA
Slater CA, 524
Smith B, 35
Smith EA, 201
Smith LT, 129
Smith NP, 361
Solano F, 435
Sollberg S, 409
Song MJ, 365
Sonnenberg A, 489
Sontheimer RD, 80S
Souza-Aguiar L, 78
Sowa BA, 27
Spehner D, 27S
St Hilaire P, 513
Stagg A, 33S
Ståhl-Bäckdahl M, 497
Stamm C, 656
Stanley JR, 323
Stanley M, 422
Staquet M-J, 12S
Stayner N, 120
Steijlen PM, 528
Steinert PM, 697
Stellato C, 723
Stephens CJM, 449
Stern M, 40
Stewart C-B, 138
Stewart-Galetka S, 27
Stingl G, 271, 30S, 111SA, 116SA
Stoscheck CM, 645
Streilein JW, 69S, 74S, 112SA, 114SA
Streit V, 306
Sudbeck BD, 497
Sugiyama K, 629
Summers S, 683
Sundelin J, 795
Sunjevaric I, 842
Sutherland GR, 542
Suyama Y, 572
Swerlick RA, 683, 715
Symington FW, 601
Symington BE, 601

T

Tada H, 634
Takada K, 629
Takahashi K, 46S, 116SA
Takashima A, 537, 1S, 42S, 112SA, 117SA
Takeuchi T, 629
Takeya M, 116SA
Takigawa M, 101, 617
Talwar H, 343
Tamai K, 258
Tamaki K, 116SA
Tamir A, 310
Tammi M, 623
Tammi R, 623
Tang A, 83, 71S
Tang H-Y, 27
Tang J-M, 20S
Tapia FJ, 95S, 115SA, 116SA
Taplin CJ, 709
Tas M, 117SA
Tavakkol A, 146, 315, 343
Taylor RS, 112SA, 117SA
Teepe RGC, 71
Teillaud J-L, 15S
Tenorio S, 531
Teunissen MBM, 77S
Thacher SM, 27
Thestrup-Pedersen K, 830
Thiele DL, 80S
Thivolet J, 99S, 116SA
Tilanus MGJ, 587
Toda K-i, 101
Togashi K, 232
Tomic-Canic M, 206, 842
Törmä H, 512
Toshitani A, 65
Trenam CW, 675
Trockenbacher B, 114SA
Trojanowska M, 201
Tsikas D, 8
Tuckett RP, 120
Tur E, 310
Turner DM, 95
Tuschil A, 294

U

Udey MC, 83, 71S
Ueda M, 12
Uitto J, 258, 409, 516, 519, 528, 660
Unemori EN, 337
Uyemura K, 848

V

Vahlquist A, 512, 795
Valcuende-Cavero F, 117SA
Valyi-Nagy I, 350
van Beersum SEC, 528
van de Kerkhof P, 3
van der Schroeff JG, 528
Vanderslice P, 138
van Haeringer A, 528
van Hoogstraten IMW, 608
van Muijen GNP, 168
van Oostveen JW, 361, 749
van Reijsen FC, 103S
van Vloten WA, 587
van Wichen DF, 587
van Wilsem EJG, 117SA
Vejlsgaard G, 515
Venneker GT, 853
Vermeer BJ, 71, 528, 114SA
Vermeer M, 114SA

Vessey DA, 859
Vidal MA, 112SA
Vogelsang GB, 397
von Blomberg BME, 608
Vonderheid EC, 90
Voorhees JJ, 146, 283, 343
Vowels BR, 90

W

Wakita H, 101, 617
Waldvogel FA, 113SA
Walker LC, 864
Wang B, 30S
Wang TS, 283
Wang Z-S, 594
Warchøl JB, 774
Weatherall IL, 468
Weiner N, 108
Weissman SM, 381, 887
Welgus HG, 497
West MR, 95
Westerhof W, 853
Weston WL, 118
Weterman MAJ, 168
Wheeland RG, 445
Whittaker SJ, 361
Wick MM, 289
Wiedow O, 306
Wiese F, 306
Wilkinson JD, 449
Willemze R, 361, 749
Williams ML, 755
Willis CM, 449
Winberg J-O, 550
Winiski AP, 48
Wintroub BU, 138
Woessner JF Jr, 709
Wolf C, 870
Wolff K, 180, 271, 111SA
Wollenberg A, 10S, 15S, 113SA
Wolthers BG, 853
Wood EJ, 95
Wood JM, 665
Woodley DT, 836
Woods GM, 117SA
Wright J, 691
Wynn KC, 836

X

Xu Y, 715

Y

Yaar M, 743
Yada Y, 482
Yamaji M, 634
Yamakage A, 201
Yamamoto A, 232
Yamamoto I, 629
Yamamoto S, 278
Yasaka N, 116SA
Yata N, 278
Yeowell HN, 864
Yodoi J, 101
Yohn JJ, 454
Yoshiki T, 12
Young SR, 729
Yuspa SH, 221, 283

Z

Zouboulis CC, 509

A

Aberrant Cytokine Production by Sezary Syndrome Patients: Cytokine Secretion Pattern Resembles Murine Th2 Cells, Vowels BR, Cassin M, Vonderheid EC, Rook AH, 90
Abnormal
  epidermal differentiation, 795
  wound healing, 579
Abnormal Lamellar Granules in Harlequin Ichthyosis, Milner ME, O'Guin WM, Holbrook KA, Dale BA, 824
Accessory cell activity, 71S
Accessory Function of Human Langerhans Cells in the Primary Allogeneic T-Cell Response, Péguet-Navarro J, Dalbiez-Gauthier C, Schmitt D, 87S
Acid, essential fatty, deficiency, 216
Acknowledgements, 895
Acute graft-versus-host disease, progressive, 397
Adhesion Molecule Expression in Polymorphic Light Eruption, Norris PG, Barker JNWN, Allen MH, Leiferman KM, MacDonald DM, Haskard DO, Hawk JLM, 504
Adhesion
  molecules LFA-3 and ICAM-1, 77S
  proteins, multidomain, 691
Adult skin, 201
Aeroallergens, FcεR11/CD23 receptor distribution in patch test reactions in atopic dermatitis, 184
Aging, effect on the genetic response of cultured keratinocytes to solar-simulated irradiation, 743
Alleles of human keratin 1, two sizes of, 697
Allergen(s)
  chemical, 107S
  contact, 545
  -specific T cells, Th2, 103S
Allergic Contact Dermatitis Releases Soluble Factors That Stimulate Melanogenesis Through Activation of Protein Kinase C–Related Signal-Transduction Pathway, Imokawa G, Yada Y, Okuda M, 482
Allogeneic T-cell response, primary, 87S
Alopecia areata, topical minoxidil in, 40
αMSH and Other Melanogenic Activators Mediate Opposite Effects on Tyrosinase and Dopachrome Tautomerase in B16/F10 Mouse Melanoma Cells, Martínez-Liarte JH, Solano F, García-Borrón JC, Jara JR, Lozano JA, 435
α6β4 integrin, expression of in junctional epidermolysis bullosa, 489
$\alpha_{IIB}\beta_3$ Integrin Dissociation Induced by EDTA Results in Formation of Birbeck Granule–Like Structures in Human Blood Platelets, Gachet C, Hanau D, Spehner D, Brisson C, Ohlmann P, Schmitt DA, Cazenave J-P, 27S
Amelanotic melanocytes, 629
American cutaneous leishmaniasis, epidermal compromise in, 95S
Amyloidosis, cutaneous, primary localized, 12
Anchoring Fibrils, Collagen VII, and Neutral Metalloproteases in Recessive Dystrophic Epidermolysis Bullosa Inversa, Bruckner-Tuderman L, Winberg J-O, Anton-Lamprecht I, Schnyder UW, Gedde-Dahl T Jr, 550
Angiogenesis, comparison of effects of moist and dry conditions on during dermal repair, 729
Anti-Inflammatory Effect of FK-506 on Human Skin Mast Cells, de Paulis A, Stellato C, Circillo R, Ciccarelli A, Oriente A, Marone G, 723
Antibody, novel monoclonal, to a subset of cutaneous dendritic cells, 56S
Antigen(s)
  BPAG1 and BPAG2, 409
  CD1a, CD1b, and CD1c, 23S
  cicatricial pemphigoid, 174
  immunoprecipitated pemphigus foliaceus fragment, purification of, 819
  180-kD bullous pemphigoid, 264
  presentation, 107S
  protein, 331
  tumor-associated, 66S
Antigen-presenting cells
  characteristics of, 20S
  co-stimulatory functions of, 62S
Antigen-specific T-cell activation, 77S
Antileukoproteinase (SKALP) in urine of psoriatic patients, 3
Argon laser treatment, 160
Atopic dermatitis
  aeroallergens in, 184
  enhanced IL-4 production and IL-4 receptor expression in, 403
  IgE-positive Langerhans cells and Th2 allergen-specific T cells in, 103S
  lesional elastase activity in, 306
Autoantigen, pemphigus foliaceous, within desmosomes, 323
Autosomal
  dominant form of dystrophic epidermolysis bullosa, 528
  recessive ichthyoses, 755

B

B-cell, cutaneous, lymphomas, 749
Basal cell carcinoma
  breast-cancer–associated stromelysin-3 gene expression in, 870
  development of, 227
  eosinophils associated with, 497
  growth characteristics, 474
Basement membrane zone
  cutaneous, 258
  ontogenesis of, 71
bFGF receptors, differential modulation of by TGF-β, 201
β1 integrins, expression of by human Langerhans cells, 12S
β4 integrins, 409
Biologic properties of wound fluid, 559
Birbeck granule, cytomembrane-derived, 53
Birbeck granule–like structures
  in human blood platelets, 27S
  internalization of Ia molecules into, 365
Blood, human, platelets, 27S
B16/F10 mouse melanoma cells, 435
BPAG1 and BPAG2, 409
BP180, bullous pemphigoid antigen, 243
Breast-Cancer–Associated Stromelysin-3 Gene Is Expressed in Basal Cell Carcinoma and During Cutaneous Wound Healing, Wolf C, Chenard M-P, Durand de Grossouvre P, Bellocq J-P, Chambon P, Basset P, 870
Bullosa, epidermolysis, junctional, 489
Bullous
  congenital ichthyosiform erythroderma, 19
  pemphigoid antigen(s)
BPAG1 and BPAG2, 409
  BP180, 243
  180-kD, 264
Buschke-Ollendorff Syndrome Associated with Elevated Elastin Production by Affected Skin Fibroblasts in Culture, Giro MG, Duvic M, Smith LT, Kennedy R, Rapini R, Arnett FC, Davidson JM, 129
Buthionine sulfoximine, melanoma cytotoxicity of, 289
Bylaws, The Society for Investigative Dermatology, Inc, 900

C

Calcitriol, 531
Calcium transients stimulated by interleukin-8, 294
Calcium-induced differentiation, protein kinase C in normal human epidermal keratinocytes during proliferation and, 565
Calgranulin A and B, 639
Calmodulin gene expression in human neonatal melanocytes, 764
Cancer-, breast-, associated stromelysin-3 gene, 870
Candida albicans, 59

0022-202X/92/$05.00 Copyright © 1992 by The Society for Investigative Dermatology, Inc.

Carboxyl-terminal V2, subdomain, 697
Carboxypeptidase, human skin mast cell, 138
Carcinogen-treated sheep skin, 51S
Carcinogenesis, regulation of the skin immune system by retinoids during, 83S
Carcinoma, basal cell
  breast-cancer–associated stromelysin-3 gene expression in, 870
  development of, 227
  eosinophils associated with, 497
  basal cell, growth characteristics, 474
CD44, an alternate form of, 381, 887
cDNA
  cloning
    human skin mast cell carboxypeptidase, 138
    of partial, for mouse 180-kDa BPAG2, 258
  partial, for lysyl hydroxylase, 864
Cd1a, CD1b, and CD1c antigens, 23S
Cell(s)
  accessory
    activity, 71S
    dendritic, infection by human immunodeficiency virus type 1 (HIV-1), 89S
  antigen-presenting
    characteristics in contact sensitization, 20S
    co-stimulatory functions of, 62S
  basal, carcinoma
    breast-cancer–associated stromelysin-3 gene expression in, 870
      development of, 227
      eosinophils associated with, 497
    carcinoma, growth characteristics, 474
    cutaneous dendritic, distinct subset, 56S
    -Elisa, 48
  epidermal
    dendritic, 114
    Langerhans, 237, 59S
    proliferation, 294
    subpopulation, 42S
  human, dermal microvascular endothelial, 715
  Langerhans
    intact protein antigens, and, 331
    human epidermal, FcεII mediates IgE binding, 30S
  migration of from carcinogen-treated sheep skin, 51S
  murine epidermal, 803
    line, microvascular endothelial, immortalized human, 683
    mast, human skin, effect of FK-506 on, 723
Cellular
  diacylglycerol increased by UV irradiation, 221
  retinoic acid–binding protein II, 146
  retinoid-binding proteins, 795
Cellular Localization of mRNA for Cellular Retinoic Acid–Binding Protein II and Nuclear Retinoic Acid Receptor-γ1 in Retinoic Acid–Treated Human Skin, Tavakkol A, Griffiths CEM, Keane KM, Palmer RD, Voorhees JJ, 146
Chain reaction, polymerase, 830
Characteristics of Antigen-Presenting Cells Involved in Contact Sensitization of Normal and UV-Irradiated Mice, Tang J-M, Dunner K Jr, Kripke ML, Bucana C, 20S
Characterization, Expression, and Immunohistochemical Localization of 3β-Hydroxysteroid Dehydrogenase/δ5-δ4 Isomerase in Human Skin, Dumont M, Luu-The V, Dupont E, Pelletier G, Labrie F, 415
Characterization of a Glucocorticosteroid-Induced Inhibitor of Interferon-Gamma Induction of HLA-DR Expression, Smith B, Berman B, 35
Characterization of a Partial cDNA for Lysyl Hydroxylase from Human Skin Fibroblasts; Lysyl Hydroxylase mRNAs Are Regulated Differently by Minoxidil Derivatives and Hydralazine, Yeowell HN, Ha V, Walker LC, Murad S, Pinnell SR, 864
Characterization of Biologic Properties of Wound Fluid Collected During Early Stages of Wound Healing, Chen WYJ, Rogers AA, Lydon MJ, 559
Characterization of the Oxidative Stress Initiated In Cultured Human Keratinocytes by Treatment with Peroxides, Vessey DA, Lee K-H, Blacker KL, 859
Chemical
  allergens, 107S
  irritants, effects on proliferating keratinocytes in 48 h
  patch test reactions, 449
Cholesterol
  sulfate, 232
  synthesis, regulation, 216
Chromosome 12, 524
Cicatricial pemphigoid antigen, 174
CIELAB color space values, 468
Cis-urocanic acid, 69S
Clinical, Histologic, and Immunofluorescent Distinctions Between Subacute Cutaneous Lupus Erythematosus and Discoid Lupus Erythematosus, David-Bajar KM, Bennion SD, DeSpain JD, Golitz LE, Lee LA, 251
Clinical, Laboratory, and Histopathologic Indicators of the Development of Progressive Acute Graft-Versus-Host Disease, Darmstadt GL, Donnenberg AD, Vogelsang GB, Farmer ER, Horn TD, 397
Clonal immunoglobulin gene rearrangements, 749
Cloning, cDNA, of human skin mast cell carboxypeptidase, 138
Cloning and Primary Sructural Analysis of the Bullous Pemphigoid Autoantigen BP180, Giudice GJ, Emery DJ, Diaz LA, 243
Cloning of Partial cDNA for Mouse 180-kDa Bullous Pemphigoid Antigen (BPAG2), a Highly Conserved Collagenous Protein of the Cutaneous Basement Membrane Zone, Li K, Giudice GJ, Tamai K, Do HC, Sawamura D, Diaz LA, Uitto J, 258
Clues to Diagnosis in Dermatopathology, by AB Ackerman, M Jacobson and P Vitale, *book review*, Golitz LE, 666
Collagen
  matrices, type IV, 836
  synthesis, decrease in, 337
  type I, 836
Collagen VII
  (COL7A1) gene, 528
  noncollagenous (NC1) domain of, 691
  recessive dystrophic epidermolysis bullosa inversa, in, 550
  reduced amounts of, 808
Collagenase
  type IV, keratinocyte-derived, 836
  UVA irradiation stimulation of, 440
Collagenase in Wound Healing: Effect of Wound Age and Type, Agren MS, Taplin CJ, Woessner JF Jr, Eaglstein WH, Mertz PM, 709
Collagenous protein, 258
Color space values, CIELAB, 468
Comparative Epidermal Langerhans Cell Migration Studies in Epidermal and Epidermal/Dermal Equivalent Grafts, Rowden G, Colp P, Dean S, Auger F, Lopes Valle C, 59S
Comparative Histochemistry of Port-Wine Stains After Copper Vapor Laser (578 nm) and Argon Laser Treatment, Neumann RA, Knobler RM, Leonhartsberger H, Gebhart W, 160
Comparison of Calmodulin Gene Expression in Human Neonatal Melanocytes and Metastatic Melanoma Cell Lines, Hickie RA, Graham MJ, Buckmeier JA, Meyskens FL Jr, 764
Comparison of the Effects of Moist and Dry Conditions on the Process of Angiogenesis During Dermal Repair, Dyson M, Young SR, Hart J, Lynch JA, Lang S, 729
Composition of Free Long-Chain (Sphingoid) Bases in Stratum Corneum of Normal and Pathologic Human Skin Conditions, Wakita H, Nishimura K, Takigawa M, 617
Connexin 43 protein, gap-junctional, 460
Constitutive Synthesis of a 92-kDa Keratinocyte-Derived Type IV Collagenase Is Enhanced by Type I Collagen and Decreased by Type IV Collagen Matrices, Sarret Y, Woodley DT, Goldberg GS, Kronberger A, Wynn KC, 836
Contact
  allergens, 545
  dermatitis
    allergic, 482
    lesional, elastase activity in, 306
    sodium lauryl sulphate-induced, 109S
  hypersensitivity, 69S
  sensitivity, 39S
  sensitization of normal and UV-irradiated mice, 20S
Control of Human Sebocyte Proliferation In Vitro by Testosterone and 5-Alpha-Dihydrotestosterone Is Dependent on the Localization of the Sebaceous Glands, Akamatsu H, Zouboulis CC, Orfanos CE, 509
Copper vapor laser (578 nm), 160
Core Protein of Epican, a Heparan Sulfate Proteoglycan on Keratinocytes, Is an Alternative Form of CD44, The, Kugelman LC, Ganguly S, Haggerty JG, Weissman SM, Milstone LM, 381, 887
Corneal graft rejection, effect of donor Langerhans cells on, 104S

Corneum, stratum
intercellular cohesion, 232
role of intercellular lipids in, 278
Co-stimulatory Functions of Antigen-Presenting Cells, Johnson JG, Jenkins MK, 62S
Cultured
human, 27
epidermal Langerhans cells, role of LFA-3 and ICAM-1 on, 77S
keratinocytes, 743, 859
scleroderma fibroblasts, 337
skin grafts, functional innervation of, 120
Cultured Human Langerhans Cells Process and Present Intact Protein Antigens, Cohen PJ, Katz SI, 331
Cultured Human Melanocytes from Black and White Donors Have Different Sunlight and Ultraviolet A Radiation Sensitivities, Yohn JJ, Lyons MB, Norris DA, 454
Cutaneous
amyloidosis, primary localized, 12
B-cell and pseudo-B-cell lymphomas, 749
basement membrane zone, 258
contact hypersensitivity, inhibition of, 594
dendritic cells, distinct subset of, 56S
glucose concentrations, measurement of, 357
leishmaniasis, American, epidermal compromise in, 95S
sensitization, persistent immune tolerance to nickel and chromium by oral administration prior to, 608
T-cell lymphoma
patients with, 514
primary, non-Hodgkin's, 587
wound healing, 870
Cutaneous Adnexal Tumors: A Guide to Pathologic Diagnosis by MR Wick and PE Swanson, *book review*, Fitzpatrick JE, 667
Cutaneous Blood Flow in Gestational Hypertension and Normal Pregnancy, Tur E, Tamir A, Guy RH, 310
Cysteinyl leukotrienes in psoriasis, enhanced synthesis of, 8
Cytokine(s)
immunomodulatory, 66S
network, psoriatic, intraepidermal, 882
production, aberrant, 90
secretion pattern resembles murine Th2 cells, 90
Cytokine Expression by Epidermal Cell Subpopulations, Matsue H, Cruz PD Jr, Bergstresser PR, Takashima A, 42S
Cytokine-Induced Expression of Transforming Growth Factor-α and the Epidermal Growth Factor Receptor in Neonatal Skin Explants, Valyi-Nagy I, Jensen PJ, Albelda SM, Rodeck U, 350
Cytokine-Stimulated Human Dermal Microvascular Endothelial Cells Produce Interleukin 6—Inhibition by Hydrocortisone, Dexamethasone, and Calcitriol, Hettmannsperger U, Detmar M, Owsianowski M, Tenorio S, Kammler H-J, Orfanos CE, 531
Cytomembrane-Derived Birbeck Granules Transport Horseradish Peroxidase to the Endosomal Compartment in the Human Langerhans Cells, Bartosik J, 53
Cytoplasmic Domain of the 180-kD Bullous Pemphigoid Antigen, A Hemidesmosomal Component: Molecular and Cell Biologic Characterization, Hopkinson SB, Riddelle KS, Jones JCR, 264
Cytoskeletal abnormality of epidermolytic hyperkeratosis, keratins K1 and K10 in, 19
Cytotoxicity
delayed in vitro, 83
melanoma, 289

D

Deleterious Effects of Cis-Urocanic Acid and UVB Radiation on Langerhans Cells and on Induction of Contact Hypersensitivity Are Mediated by Tumor Necrosis Factor-Alpha, Kurimoto I, Streilein JW, 69S
Demonstration of Clonal Immunoglobulin Gene Rearrangements in Cutaneous B-Cell Lymphomas and Pseudo-B-Cell Lymphomas: Differential Diagnostic and Pathogenetic Aspects, Rijlaarsdam U, Bakels V, van Oostveen JW, Gordijn RJL, Geerts M-L, Meijer CJLM, Willemze R, 749
Demonstration of Skin-Derived Antileukoproteinase (SKALP) in Urine of Psoriatic Patients, Alkemade H, van de Kerkhof P, Schalkwijk J, 3
Dendritic cells
accessory, infection of by human immunodeficiency virus type 1 (HIV-1), 89S
cutaneous, distinct subset of, 56S
development and function, 33S
epidermal, 114
murine, 365
Density of proliferating keratinocytes in 48 h patch test reactions, 449
Dermal
fibroblasts, human, 315
fibrosis, fibroblast replication in, 779
microvascular endothelial cells, human cytokine-stimulated, 531
vitronectin receptors on, 715
repair, comparison of effects of moist and dry conditions on angiogenesis during, 729
Dermatitis Herpetiformis, Hall RP III, *Progress in Dermatology*, 873
Dermatitis, allergic contact, 482
Dermatitis
atopic
aeroallergens in, 184
allergen-specific T cells in, 103S
enhanced IL-4 production and IL-4 receptor expression in, 403
IgE-positive Langerhans cells and Th2 allergen-specific T cells in, 103S
contact
and atopic, lesional elastase activity in, 306
sodium lauryl sulphate-induced, 109S
Dermatologic research, industry-funded, 664
Dermatotoxicology, 4th Ed, Cited by Ed. FN Marzulli and HI Maibach, *book review*, De Young LM, 884
Dermis of human skin, gap-junctional protein connexin 43 expression in, 460
Desmosomes, 323
Development and Function of Dendritic Cells in Health and Disease, Knight SC, Stagg A, Hill S, Fryer P, Griffiths S, 33S
Dexamethasone, 531
Diacylglycerol
cellular, increased by UV irradiation, 221
kinase in murine keratinocytes induced by UV irradiation, 221
Diagnostic Value of T-Cell Receptor Beta Gene Rearrangement Analysis on Peripheral Blood Lymphocytes of Patients with Erythroderma, *letter*, Whittaker SJ, Smith NP, 361
Differential Effects of Structurally Unrelated Chemical Irritants on the Density of Proliferating Keratinocytes in 48 h Patch Test Reactions, Willis CM, Stephens CJM, Wilkinson JD, 449
Differential Expression of Calgranulin A and B in Various Epithelial Cell Lines and Reconstructed Epidermis, Saintigny G, Schmidt R, Shroot B, Juhlin L, Reichert U, Michel S, 639
Differential Modulation of bFGF Receptors by TGF-β in Adult Skin, Scleroderma Skin, and Newborn Foreskin Fibroblasts, Kikuchi K, Yamakage A, Smith EA, LeRoy EC, Trojanowska M, 201
Differentiation of Epidermal Langerhans Cells in Macrophage Colony-Stimulating-Factor–Deficient Mice Homozygous for the Osteopetrosis (op) Mutation, Takahashi K, Naito M, Shultz LD, 46S
Discoid lupus erythematosus and subacute cutaneous lupus erythematosus, distinctions between, 251
Diseases, heritable, of the skin, markers for genetic linkage analyses in, 519
Donor Langerhans cells, effect on corneal graft rejection, 104S
Dopachrome tautomerase, 435
Doses of Ultraviolet Radiation that Modulate Accessory Cell Activity and ICAM-1 Expression Are Ultimately Cytotoxic for Murine Epidermal Langerhans Cells, Tang A, Udey MC, 71S
Dystrophic epidermolysis bullosa
autosomal dominant form of, 528
inversa recessive, 550
mutilating, 808

E

Early Events in the Induction Phase of Contact Sensitivity, Enk AH, Katz SI, 39S
Ecto-ATPase, membrane, 18S
Eczema, Edited by R Marks, *book review*, Rajka G, 361
Editor's Report for 1992—Papers Published in 1991, Norris DA, 892
EDTA, 27S
Effect of Aging and Habitual Sun Exposure on the Genetic Response of Cultured Human Keratinocytes to Solar-Simulated Irradiation, Garmyn M, Yaar M, Boileau N, Backendorf C, Gilchrest BA, 743
Effect of Donor Langerhans Cells on Corneal Graft Rejection, Niederkorn JY, Ross JR, He YG, 104S

Effect of Local Ultraviolet Irradiation on Infections of Mice with *Candida albicans, Mycobacterium bovis* BCG, and *Schistosoma mansoni*, Jeevan A, Evans R, Brown EL, Kripke ML, 59
Effect of wound age and type in collagenase wound healing, 709
Effective Enrichment of Murine Epidermal Langerhans Cells by a Modified (Mismatched) Panning Technique, Koch F, Kämpgen E, Schuler G, Romani N, 803
Effects of Immunomodulatory Cytokines on the Presentation of Tumor-Associated Antigens by Epidermal Langerhans Cells, Grabbe S, Bruvers S, Granstein RD, 66S
Effects of Multiple Applications of Tumor Promoters and Ultraviolet Radiation on Epidermal Proliferation and Antioxidant Status, Cameron GS, Pence BC, 189
Effects of the Immunosuppressive Dipeptide L-Leucyl-L-Leucine O-Methyl Ester on Epidermal Langerhans Cells, Simon JC, Thiele DL, Schöpf E, Sontheimer RD, 80S
Effects of Ultraviolet Radiation on Murine Epidermal Langerhans Cells: Doses of Ultraviolet Radiation that Modulate ICAM-1 (CD54) Expression and Inhibit Langerhans Cell Function Cause Delayed Cytotoxicity In Vitro, Tang A, Udey MC, 83
EGF-R, quantitative determination of during epidermal wound healing, 645
Elastase activity, lesional, 306
Elastic fibers, molecular biology and pathology of, 660
Elastin production, elevated, 129
Electron microscopy, 572
Endemic pemphigus foliaceus, 78
Endocytic, multiple, pathways, 7S
Endosomal compartment in the human Langerhans cells, 53
Endothelial cell(s),
  human dermal microvascular
  cytokine-stimulated, 531
  vitronectin receptors on, 715
  line, microvascular, immortalized human, 683
Enhanced IL-4 Production and IL-4 Receptor Expression in Atopic Dermatitis and Their Modulation by Interferon-Gamma, Renz H, Jujo K, Bradley KL, Domenico J, Gelfand EW, Leung DYM, 403
Enhanced Production of Plasminogen Activator Activity in Human and Murine Keratinocytes by Transforming Growth Factor-β1, Keski-Oja J, Koli K, 193
Enhanced Synthesis of Cysteinyl Leukotrienes in Psoriasis, Fauler J, Neumann C, Tsikas D, Frölich J, 8
Enzyme, transglutaminase-K, activity and immunoreactivity, 283
Eosinophils associated with basal cell carcinoma, 497
Epican, the core protein of, 381, 887
Epidermal
  and epidermal/dermal equivalent grafts, 59S
  cell
    proliferation, 294
    subpopulation, 42S
  dendritic cells, 114
  differentiation
    abnormal, 795
    normal, 795
  growth factor receptor
    expression in human melanocytic tumor progression, 168
    in neonatal skin explants, 350
  keratinocyte(s)
    human, expression of sialyl Lewis X, 601
    protein kinase C in normal human, 565
  lamina densa in normal human skin, 572
  Langerhans cells
    cultured human, role of LFA-3 and, ICAM-1 on, 77S
    differentiation in macrophage colony-stimulating-factor–deficient mice homozygous for the osteopetrosis mutation, 46S
    effects of immunomodulatory cytokines on the presentation of tumor-associated antigens, 66S
    effects of the immunosuppressive
    dipeptideL-leucyl-L-leucine O-methyl ester, 80S
  human
  expression of β1 integrins, 12S
  FcεII mediates IgE binding, 30S
  membrane ecto-ATPase on, 18S
  purification of functional active, 237
  murine, Langerhans cells, 803, 71S
  neoplasia, 515
  proliferation, effects of multiple applications of tumor promoters and ultraviolet radiation on, 189
  wound healing, quantitative determination of EGF-R during, 645
Epidermal Compromise in American Cutaneous Leishmaniasis, Cáceres-Dittmar G, Sánchez MA, Oriol O, Kraal G, Tapia FJ, 95S
Epidermal HMG CoA Reductase Activity in Essential Fatty Acid Deficiency: Barrier Requirements Rather Than Eicosanoid Generation Regulate Cholesterol Synthesis, Proksch E, Feingold KR, Elias PM, 216
Epidermal Interleukin 1α Functional Activity and Interleukin 8 Immunoreactivity Are Increased in Patients with Cutaneous T-Cell Lymphoma, *letter*, Lawlor F, Camp R, Greaves M, 514
Epidermal Keratinocyte Self-Renewal is Dependent upon Dermal Integrity, Leary T, Jones PL, Appleby M, Blight A, Parkinson K, Stanley M, 422
Epidermis of human skin grafted onto nude mice, migration of Langerhans cells into, 54S
Epidermis
human
  adult, proteoglycans synthesized by, 623
  skin, gap-junctional protein connexin 43 expression in, 460
  mouse, 3-D reconstruction and stereometric analysis of Langerhans cells in, 774
  of seropositive patients, HIV-1 genome detection by PCR in, 99S
Epidermolysis bullosa
  dystrophic
    autosomal dominant form of, 528
    mutilating, 808
  inversa, dystrophic, recessive, 550
  junctional, 489
Epidermolytic hyperkeratosis
  cytoskeletal abnormality of, 19
  phenotype, 524
Epithelial
  cell lines and reconstructed epidermis, differential expression of calgranulin A and B in various, 639
  keratins, simple, expression of, 515
Epithelium, cultured human, grafts, 71
Epitope Mapping of CD1a, CD1b, and CD1c Antigens in Human Skin: Differential Localization on Langerhans Cells, Keratinocytes, and Basement Membrane Zone, Furue M, Nindl M, Kawabe K, Nakamura K, Ishibashi Y, Sagawa K, 23S
Erythematosus, lupus
  discoid, 251
  subacute cutaneous, 251
Erythroderma, peripheral blood lymphocytes of patients with, 361
Essential fatty acid deficiency, *in vitro* model, 703
Ethical consideration of industry-funded dermatologic research, 664
Explants, neonatal skin, 350
Expression and Modulation of the Vitronectin Receptor on Human Dermal Microvascular Endothelial Cells, Swerlick RA, Brown EJ, Xu Y, Lee KH, Manos S, Lawley TJ, 715
Expression and Role of Integrin Receptors in Sézary Syndrome, Savoia P, Novelli M, Fierro MT, Cremona O, Marchisio PC, Bernengo MG, 151
Expression, characterization and immunohistochemical localization of 3β-hydroxysteroid dehydrogenase/δ5-δ4 isomerase in human skin, 415
Expression of Cellular Retinoid-Binding Proteins During Normal and Abnormal Epidermal Differentiation, Busch C, Siegenthaler G, Vahlquist A, Nordlinder H, Sundelin J, Saksena P, Eriksson U, 795
Expression of Growth Hormone Receptor, Insulin-Like Growth Factor 1 (IGF-1) and IGF-1 Receptor mRNA and Proteins in Human Skin, Tavakkol A, Elder JT, Griffiths CEM, Cooper KD, Talwar H, Fisher GJ, Keane KM, Foltin SK, Voorhees JJ, 343
Expression of Growth-Associated Protein 43 and Nerve Growth Factor Receptor in Human Skin: A Comparative Immunohistochemical Investigation, Fantini F, Johansson O, 734
Expression of Integrin α6β4 in Junctional Epidermolysis Bullosa, Jonkman MF, de Jong MCJM, Heeres K, Sonnenberg A, 489
Expression of 92-kDa Type IV Collagenase mRNA by Eosinophils Associated with Basal Cell Carcinoma, Ståhle-Bäckdahl M, Sudbeck BD, Eisen AZ, Welgus HG, Parks WC, 497
Expression of Simple Epithelial Keratins in Epidermal Neoplasia Is Not Directly and Exclusively Related to Malignancy, *letter*, Nindl M, Nakagawa H, Furue M, Ishibashi Y, 515
Expression of the High-Affinity Receptor for IgE (FcεRI) on Human Langerhans Cells: The End of a Dogma, Bieber T, de la Salle H, de la Salle C, Hanau D, Wollenberg A, 10S

Expression of Transforming Growth Factor Type Beta on Human Epidermal Dendritic Cells, *rapid communication*, Gruschwitz MS, Hornstein OP, 114
Extracellular matrix, 691

F

Fatty acid, essential, deficiency
  epidermal HMG CoA reductase activity in, 216
  in vitro model of, 703
Fatty acid–binding protein, 299
FcεR11/CD23 Receptor Distribution in Patch Test Reactions to Aeroallergens in Atopic Dermatitis, Buckley CC, Ivison C, Poulter LW, Rustin MHA, 184
FcεRI Mediates IgE Binding to Human Epidermal Langerhans Cells, Rieger A, Wang B, Kilgus O, Ochiai K, Maurer D, Födinger D, Kinet J-P, Stingl G, 30S
FcγRII/CD32, soluble, 15s
Fibrils, anchoring, in recessive dystrophic epidermolysis bullosa inversa, 550
Fibroblast(s)
  Buschke-Ollendorff syndrome associated with elevated elastin production by affected skin, 129
  cultured human, UVA irradiation stimulates collagenase production in, 440
  human
  dermal, 315
  skin, 864
  keloid, 650
  mutilating dystrophic epidermolysis bullosa, from patients with, 808
  newborn foreskin, 201
  replication in dermal fibrosis, 779
  scleroderma, cultured human, 337 3T3, 386
  xeroderma pigmentosum complementation group A, 634
Fibronectin, 656, 787, 12S
Fibronectin Gene Transcription Is Enhanced in Abnormal Wound Healing, Oliver N, Babu M, Diegelmann R, 579
Fibrosis, dermal, fibroblast replication in, 779
Fiscal considerations of industry-funded dermatologic research, 664
5-alpha-dihydrotestosterone, 509
FK-506, 723
Flurbiprofen, percutaneous absorption in the hairless rat, 431
Fogo Selvagem, 78
Foreskin, newborn, fibroblasts, 201
48 h patch test reactions, 449
Fourth component of complement (C4), molecular heterogeneity of, 853
Functional Innervation of Cultured Skin Grafts, English KB, Stayner N, Krueger GG, Tuckett RP, 120
Functional Role of Adhesion Molecules LFA-3 and ICAM-1 on Cultured Human Epidermal Langerhans Cells in Antigen-Specific T-Cell Activation, Teunissen MBM, 77S

G

Gamma interferon and cell surface receptors, 882
Gap-Junctional Protein Connexin 43 Is Expressed in Dermis and Epidermis of Human Skin: Differential Modulation by Retinoids, Guo H, Acevedo P, Parsa FD, Bertram JS, 460
Gel electrophoretic analysis of basal cell carcinoma in vitro, 474
Genealogy of human skin mast cell carboxypeptidase, 138
Gene
  calmodulin, expression in human neonatal melanocytes, 764
  human
    K5 keratin, 206
    K14 keratin, 842
  involucrin, 542
  loricrin, 542
  profilaggrin, 542
  transcription, fibronectin, 579
Genetic linkage analyses, markers for in heritable diseases of the skin, 519
Genetic Linkage Between the Collagen VII (COL7A1) Gene and the Autosomal Dominant Form of Dystrophic Epidermolysis Bullosa in Two Dutch Kindreds, Gruis NA, Bouwes Bavinck JN, Steijlen PM, van der Schroeff JG, van Haeringer A, Happle R, Mariman E, van Beersum SEC, Uitto J, Vermeer BJ, Frants RR, 528
Genetic Skin Disorders of Keratin, Fuchs E, 671
Genome, human, polymorphism of, 519
Gestational hypertension, cutaneous blood flow in, 310
Glands, sebaceous, 509
Glucocorticosteroid-induced inhibitor of interferon-gamma induction of HLA-DR expression, characterization of, 35
Glucose concentrations, cutaneous, measurement of, 357
Glycine-rich carboxyl-terminal V2 subdomain, 697
Glycosaminoglycan free chain expression in 3T3 fibroblasts and human keratinocytes, 386
Graft(s)
  corneal, rejection, effect of donor Langerhans cells on, 104S
  cultured human epithelium, 71
  epidermal and epidermal/dermal equivalent, 59S
Graft versus host disease, 779
Granules, lamellar, abnormal, 824
Growth Characteristics and Differentiation of Basal Cell Carcinoma In Vitro — Immunohistochemical, Gel Electrophoretic, and Ultrastructural Analysis, Asada M, Schaart F-M, Detmar M, Mischke D, de Almeida HL Jr, Gollnick H, Orfanos CE, 474
Growth
  -associated protein 43, 734
  factor receptor, epidermal, 350
  hormone receptor, expression in human skin, 343

H

Habitual sun exposure, effect on the genetic response of cultured keratinocytes to solar-simulated irradiation, 743
Harlequin ichthyosis, 824
Healing, cutaneous wound, 870
Helium neon laser irradiation, low-energy, 445
Heparan sulfate proteoglycan, 381, 887
Heritable diseases of the skin, markers for genetic linkage analyses in, 519
Herpetiformis, dermatitis, 873
Heterogeneity, molecular, of the fourth component of complement (C4), 853
HIV-1
  entry and replication in Langerhans cells, 99S
  genome detection, 99S
  infection of accessory dendritic cells by, 89S
  isolation, 271
HLA-DR expression, 35
HMEC-1: Establishment Of An Immortalized Human Microvascular Endothelial Cell Line, Ades EW, Candal FJ, Swerlick RA, George VG, Summers S, Bosse DC, Lawley TJ, 683
HMG CoA reductase activity, epidermal, 216
Homeostatic mechanism, implication for, 315
Homozygous mice for the osteopetrosis (op) mutation, 46S
Horseradish peroxidase, 53
Human Dermal Fibroblast Interleukin-1 Receptor Antagonist (IL-1ra) and Interleukin-1β (IL-1β) mRNA and Protein Are Co-Stimulated by Phorbol Ester: Implication for a Homeostatic Mechanism, Chan LS, Hammerberg C, Kang K, Sabb P, Tavakkol A, Cooper KD, 315
Human
  blood platelets, 27S
  dermal microvascular endothelial cells
    cytokine-stimulated, 531
    vitronectin receptor on, 715
  epidermal Langerhans cells
  cultured, role of LFA-3 and ICAM-1 on, 77S
  FcεII mediates IgE binding, 30S
  genome, polymorphism of, 519
  immunodeficiency virus type 1 (HIV-1)
    genome detection by PCR, 99S
  infection of accessory dendritic cells, 89S
  isolation of, 271
  K5 keratin gene, 206
  K14 keratin gene, 842
  keratin 1, alleles, two sizes, 697
  keratinocytes
    cell line, ICAM-1 expression in a spontaneously transformed, 48
    cultured, 743, 859
    effect of low energy helium neon laser irradiation on, 445
    enhanced production of plasminogen activator activity in, 193
    normal and transformed, 409
    retinol uptake in, 512

Langerhans cells, accessory function of in the primary allogeneic T-cell response, 87S
melanocyte
attachment to fibronectin, 787
cultured, 454
tumor progression, 168
microvascular endothelial cell line, immortalized, 683
neonatal melanocytes, calmodulin gene expression in, 764
sebocyte proliferation, control of in vitro by testosterone and 5-alpha-dihydrotestosterone, 509
skin
epidermis, 54S
fibroblasts, 864
mast cells, effect of FK-506 on, 723
nerve growth factor receptor in, 734
normal, scanning electron microscopy of the epidermal lamina densa, 572
retinoic acid–treated, 146
tuberculin-induced delayed-type hypersensitivity reactions in, 784
Human Epidermal Keratinocyte Expression of Sialyl-Lewis X, Symington FW, Holmes EH, Symington BE, 601
Human Epidermal Langerhans Cells Express β1 Integrins that Mediate Their Adhesion to Laminin and Fibronectin, Staquet M-J, Levarlet B, Dezutter-Dambuyant C, Schmitt D, 12S
Human Skin Mast Cell Carboxypeptidase: Functional Characterization, cDNA Cloning, and Genealogy, Natsuaki Ma, Stewart C-B, Vanderslice P, Schwartz LB, Natsuaki Me, Wintroub BU, Rutter WJ, Goldstein SM, 138
Hydralazine, 864
Hydrocortisone, 531
Hyperkeratosis, epidermolytic
cytoskeletal abnormality of, 19
phenotype, 524
Hypersensitivity, contact, 69S
Hypertension, gestational, cutaneous blood flow in, 310

I

Ia molecules, internalization into Birbeck granule–like structures in murine dendritic cells, 365
ICAM-1
(CD54) expression, ultraviolet radiation, modulation of, 83
expression, 48, 71S
role on cultured human epidermal Langerhans cells, 77S
ICAM-1 Expression in a Spontaneously Transformed Human Keratinocyte Cell Line: Characterization by a Simple Cell-ELISA Assay, Winiski AP, Foster CA, 48
Ichthyoses, autosomal recessive, 755
Ichthyosiform erythroderma, bullous congenital, 19
Ichthyosis, harlequin, 824
Identification and Characterization of a Cell Surface Proteoglycan on Keratinocytes, Haggerty JG, Bretton RH, Milstone LM, 374
Identification of the Retinoic Acid and Thyroid Hormone Receptor–Responsive Element in the Human K14 Keratin Gene, Tomic-Canic M, Sunjevaric I, Freedberg IM, Blumenberg M, 842
IgE
binding, FcεII mediated, to human epidermal Langerhans cells, 30S
(FcεRI), high-affinity receptor for, 10S
IgE-Positive Langerhans Cells and TH2 Allergen-Specific T Cells in Atopic Dermatitis, Mudde GC, van Reijsen FC, Bruijnzeel-Koomen CAFM, 103S
IGF-1 receptor mRNA, expression in human skin, 343
IL-1β
Langerhans cells as major source of mRNA for, 537
mRNA, 315
IL-1ra, 315
IL-3 Production as an *In Vitro* Marker of the Genetically Determined Traits of UVB Susceptibility and UVB Resistance, Streilein JW, Kurimoto I, Mammolenti M, 74S
IL-4 production and receptor expression, enhanced, in atopic dermatitis, 403
Immortalized human microvascular endothelial cell line, 683
Immune tolerance, persistent, to nickel and chromium, 608
Immunodeficiency virus type 1, human, isolation of, 271
Immunoglobulin, clonal, gene rearrangements, 749
Immunohistochemical
analysis of basal cell carcinoma in vitro, 474
localization of 3β-hydroxysteroid dehydrogenase/δ5-δ4 isomerase in human skin, 415
Immunohistochemical Distribution of Adult T-Cell Leukemia-Derived Factor/Thioredoxin in Epithelial Components of Normal and Pathologic Human Skin Conditions, Wakita H, Yodoi J, Masutani H, Toda K-i, Takigawa M, 101
Immunologic cross-reactivities with the bullous pemphigoid antigen, 174
Immunological and Pharmacological Aspects of Atopic and Contact Eczema, 9th CIRD Galderma Symposium on Advances in Skin Pharmacology, Cannes, October 4-6, 1990, Volume Ed. JM Czernielewski, Volume 4 in Pharmacology and the Skin, B Shroot, H Schaefer, *book review*, Leung DYM, 666
Immunomodulatory cytokines, 66S
Immunomorphologic and Biochemical Identification of the Pemphigus Foliaceous Autoantigen Within Desmosomes, Rappersberger K, Roos N, Stanley JR, 323
Immunoprecipitated pemphigus foliaceus antigen fragment, purification of, 819
Immunosuppressive dipeptide L-leucyl-L-leucine O-methyl ester, 80S
Immunosupression, local, produced by topical spiperone without inducing systemic neuroleptic effects, 594
In This Issue
Norris DA, 1
Rettig Emanuel J, 241, 363, 517, 669
Weston WL, 118
In Vitro Model of Essential Fatty Acid Deficiency, Marcelo CL, Duell EA, Rhodes LM, Dunham WR, 703
In Vitro HIV-1 Entry and Replication in Langerhans Cells May Clarify the HIV-1 Genome Detection by PCR in Epidermis of Seropositive Patients, Dusserre N, Dezutter-Dambuyant C, Mallet F, Delorme P, Philit F, Ebersold A, Desgranges C, Thivolet J, Schmitt D, 99S
Increased Level of Intracellular MHC Class II Molecules in Murine Langerhans Cells Following In Vivo and In Vitro Administration of Contact Allergens, Becker D, Mohamadzadeh M, Reske K, Knop J, 545
Increasing Epidermal Growth Factor Receptor Expression in Human Melanocytic Tumor Progression, de Wit PEJ, Moretti S, Koenders PG, Weterman MAJ, van Muijen GNP, Gianotti B, Ruiter DJ, 168
Induction of the 72-kD Heat Shock Protein in Xeroderma Pigmentosum Complementation Group A Fibroblasts, Muramatsu T, Tada H, Kobayashi N, Yamaji M, Shirai T, Ohnishi T, 634
Industry-Funded Dermatologic Research Within Academia in the United States: Fiscal and Ethical Considerations, *letter*, Chren M-M, 664
Infection of Accessory Dendritic Cells by Human Immunodeficiency Virus Type 1, Langhoff E, Haseltine WA, 89S
Inflammation, skin, 675
Inhibition of Cutaneous Contact Hypersensitivity in the Mouse with Systemic or Topical Spiperone: Topical Application of Spiperone Produces Local Immunosuppression Without Inducing Systemic Neuroleptic Effects, Sharpe RJ, Chandrasekar A, Arndt KA, Wang Z-S, Galli SJ, 594
Insulin-like growth factor 1, expression in human skin, 343
Integrin receptors in Sézary syndrome, expression and role of, 151
Integrin
α6β4 in junctional epidermolysis bullosa, 489
$\alpha_{IIb}\beta_3$, 27S
β4, 409
Intercellular lipids, 278
Interferon, gamma, and cell surface receptors, 882
Interferon-gamma
induction of HLA-DR expression, 35
modulation of enhanced IL-4 production and IL-4 receptor expression in atopic dermatitis, 403
synergistic effects on monocyte phosphodiesterase activity, 65
Interferon-γ in conjunction with relaxin, 337
Interleukin immunoreactivity, 514
Interleukin 1α, epidermal, 514
Interleukin 4, synergistic effects on monocyte phosphodiesterase activity, 65
Interleukin-6, 531
Interleukin 8 mRNA, 830
Interleukin-8 (NAP-1) and Related Chemotactic Cytokines, Edited by M Baggiolini and CS Karger, *book review*, Modlin R, 885
Interleukin-8 Stimulates Calcium Transients and Promotes Epidermal Cell Proliferation, Tuschil A, Lam C, Haslberger A, Lindley I, 294
Internalization of Ia Molecules into Birbeck Granule–Like Structures in Murine Dendritic Cells, Bucana CD, Munn CG, Song MJ, Dunner K Jr, Kripke ML, 365
Interstitial water space in human skin, microdialysis of, 357

Intracellular MHC Class II, 545
Intraepidermal Psoriatic Cytokine Network Involves Gamma Interferon, Transforming Growth Factor-Alpha, and Their Cell Surface Receptors: Dysregulation Rather than Deficiency, *letter*, Nickoloff BJ, Mitra RS, 882
Introduction: Third International Workshop on Langerhans Cells, Baer RL, 5S
Involucrin genes, 542
Iron, reactive oxygen species and, in skin inflammation, 675
Irradiation
  low-energy helium neon laser, 445
  solar-simulated, 743
  ultraviolet A, 440
  UV light, 221
Isolation of Human Immunodeficiency Virus Type 1 from Human Epidermis: Virus Replication and Transmission Studies, Berger R, Gartner S, Rappersberger K, Foster CA, Wolff K, Stingl G, 271

J

Junctional epidermolysis bullosa, 489

K

Keloid Fibroblasts Exhibit an Altered Response to TGF-β, Babu M, Diegelmann R, Oliver N, 650
Keratin(s)
  gene
  human K5, 206
  type II, cluster, 524
  genetic skin disorders of, 671
  simple epithelial, expression of, 515
Keratin 1, two sizes of alleles of human, 697
Keratins K1 and K10 in the cytoskeletal abnormality of epidermolytic hyperkeratosis, 19
Keratinocyte(s)
  cultured human, 743, 859
  density of proliferating, in 48 h patch test reactions, 449
  epican core protein, a heparan sulfate proteoglycan, effects on, 381, 887
  epidermal, self-renewal, 422
  human
    enhanced production of plasminogen activator activity in, 193
    identification and characterization of a cell surface proteoglycan on, 374
    low-energy helium neon laser irradiation, effect on, 445
    normal and transformed, 409
    retinol uptake in, 512
    topography of proteoglycan and glycosaminoglycan free chain expression in 3T3 fibroblasts, 386
  ICAM-1 expression in a spontaneously transformed human cell line, 48
  murine, enhanced production of plasminogen activator activity in, 193
  protein kinase C in normal epidermal, 565
  transglutaminase, type I, expression in human skin and psoriasis, 27
Keratinocyte Migration Is Partially Supported by the Cell-Binding Domain of Fibronectin and Is RGDS-Dependent, *rapid communication*, Sarret Y, Stamm C, Jullien D, Schmitt D, 656
Keratinocyte-derived type IV collagenase, 836
Keratinocytes and Fibroblasts from a Patient with Mutilating Dystrophic Epidermolysis Bullosa Synthesize Drastically Reduced Amounts of Collagen VII: Lack of Effect of Transforming Growth Factor-β, König A, Lauharanta J, Bruckner-Tuderman L, 808
Keratinocytes in Vitiligo, *letter*, Mollemann G, 665
K5 keratin gene, human, 206
K14 keratin gene, human, 842
Kinase C, protein, 565
Korean Society for Investigative Dermatology—Happy First Anniversary, *letter*, Uitto J, 516

L

Lamellar granules, abnormal, 824
Lamina densa, epidermal, in normal human skin, 572
Lamina Densa Malformation Involved in Histogenesis of Primary Localized Cutaneous Amyloidosis, Horiguchi Y, Fine J-D, Leigh IM, Yoshiki T, Ueda M, Imamura S, 12
Laminin, 12S
Langerhans Cells Are the Major Source of mRNA for IL-1β and MIP-1α Among Unstimulated Mouse Epidermal Cells, Matsue H, Cruz PD Jr, Bergstresser PR, Takashima A, 537
Langerhans Cells, Antigen Presentation, and the Diversity of Responses to Chemical Allergens, Cumberbatch M, Gould SJ, Peters SW, Basketter DA, Dearman RJ, Kimber I, 107S
Langerhans cells
  cultured human epidermal, role of LFA-3 and ICAM-1 on, 77S
  donor, effect on corneal graft rejection, 104S
  endosomal compartment in human, 53
  epidermal
    differentiation in macrophage
      colony-stimulating-factor–deficient mice homozygous for osteopetrosis (op) mutation, 46S
    effects of immunomodulatory cytokines on the presentation of tumor-associated antigens by, 66S
    effects of the immunosuppressive dipeptide L-leucyl-L-leucine O-methyl ester on, 80S
    functional active, 237
    migration studies, 59S
  HIV-1 entry and replication in, 99S
  human
    accessory function in the primary allogeneic T-cell response, 87S
    release of soluble FcγRII/CD32 molecules by, 15S
    skin, lymph containing, 109S
  IgE binding to, 30S
  IgE-positive, 103S
  intact protein antigens and, 331
  migration
    from carcinogen-treated sheep skin, 51S
    into epidermis of human skin grafted onto nude mice, 54S
    stimulation by TNF-α, 48S
  mouse epidermis, 3-D reconstruction and stereometric analysis in, 774
  murine
    epidermal, 803, 71S
    increased levels of intracellular MHC class II molecules in, 545
Laser
  irradiation, helium neon, low-energy, 445
  treatments, copper vapor and argon, 160
Leishmaniasis, American cutaneous, epidermal compromise in, 95S
Lesional Elastase Activity in Psoriasis, Contact Dermatitis, and Atopic Dermatitis, Wiedow O, Wiese F, Streit V, Kalm C, Christophers E, 306
Leukotrienes, cysteinyl, 8
LFA-3, role of on cultured human epidermal Langerhans cells, 77S
Light eruption, polymorphic, 504
Linkage of the Epidermolytic Hyperkeratosis Phenotype and the Region of the Type II Keratin Gene Cluster on Chromosome 12, Bonifas JM, Bare JW, Chen MA, Lee MK, Slater CA, Goldsmith LA, Epstein EH Jr, 524
Lipids
  intercellular, 278
  stratum corneum, 232
Liposomes, multilamellar, 108
Localization, immunohistochemical, of 3β-hydroxysteroid dehydrogenase/δ5-δ4 isomerase in human skin, 415
Long-chain (sphingoid) bases in stratum corneum of normal and pathologic human skin conditions, 617
Loricrin genes, 542
Low-Energy Helium Neon Laser Irradiation Does Not Alter Human Keratinocyte Differentiation, Rood PA, Haas AF, Graves PJ, Wheeland RG, Isseroff RR, 445
Lupus erythematosus
  discoid, 251
  subacute cutaneous, 251
Lymph, human skin, containing Langerhans cells, 109S
Lymphoid infiltration, perifollicular, 40
Lymphoma(s),
  cutaneous B-cell and pseudo-B-cell, 749
  cutaneous T-cell, 514
Lysyl hydroxylase mRNAs, 864

M

Macrophage colony-stimulatig-factor–deficient mice homozygous for the osteopetrosis (op) mutation, 46S

Major Cicatricial Pemphigoid Antigen Is a 180-kD Protein that Shows Immunologic Cross-Reactivities with the Bullous Pemphigoid Antigen, The, Bernard P, Prost C, Durepaire N, Basset-Seguin N, Didierjean L, Saurat J-H, 174
Malignant melanoma, "thin", 180
Malignant Skin Tumors, 2nd Ed. Edited by AJJ Emmett and MGE O'Rourke, *book review*, Mellette JR, 884
Mapping of The Trichohyalin Gene: Co-Localization with the Profilaggrin, Involucrin, and Loricrin Genes, Fietz MJ, Rogers GE, Eyre HJ, Baker E, Callen DF, Sutherland GR, 542
Mast cells
  carboxypeptidase, human skin, 138
  human skin, effect of FK-506 on, 723
Matrix, extracellular, 691
Melanocyte(s)
  amelanotic, 629
  attachment, human, to fibronectin, 787
  cultured human, 454
  human neonatal, calmodulin gene expression in, 764
  tumor progression, human, 168
Melanogenesis, 482
Melanogenic activators, 435
Melanoma
  cells, B16/F10 mouse, 435
  malignant, "thin", 180
Melanoma Cytotoxicity of Buthionine Sulfoximine (BSO) Alone and in Combination with 3,4-Dihydroxybenzylamine and Melphalan, Prezioso JA, FitzGerald GB, Wick MM, 289
Melphalan, 289
Membrane Ecto-ATPase on Epidermal Langerhans Cells, Girolomoni G, Santantonio ML, Bergstresser PR, Cruz PD Jr, Giannetti A, 18S
Membrane Structural Abnormalities in the Stratum Corneum of the Autosomal Recessive Ichthyoses, Ghadially R, Williams ML, Hou SYE, Elias PM, 755
Metalloproteases, neutral, in recessive dystrophic epidermolysis bullosa inversa, 550
Meter, push-pull, 232
Mice
  homozygous for the osteopetrosis (op) mutation, 46S
  nude, migration of Langerhans cells into the epidermis of grafted human skin, 54S
Microdialysis of the Interstitial Water Space in Human Skin In Vivo: Quantitative Measurement of Cutaneous Glucose Concentrations, *rapid communication*, Petersen LJ, Kristensen JK, Bülow J, 357
Microscopy, electron, 572
Microvascular endothelial cell(s), human dermal cytokine-stimulated, 531
line, immortalized human, 683
  vitronectin receptor on, 715
Migration, keratinocyte, 656
Migration of Langerhans Cells from Carcinogen-Treated Sheep Skin, Dandie GW, Ragg SJ, Muller HK, 51S
Migration of Langerhans Cells into the Epidermis of Human Skin Grafted onto Nude Mice, Démarchez M, Asselineau D, Régnier M, Czernielewski J, 54S
Minoxidil
  derivatives, 864
  topical, in alopecia areata, 40
Minutes of the Annual General Meeting of the European Society for Dermatological Research, London, Sunday 5 April, 6:15 AM, 908
Minutes of the European Society for Dermatological Research Board, London, Saturday 4 April, 8:30AM, Kensington Town Hall, 908
Minutes of the European Society for Dermatological Research Board, London, Monday 6 April, 1PM, 910
MIP-1α, 537
Mitotic Activity in the Dermis of Mice During Graft Versus Host Disease: The Role of Fibroblast Replication in Dermal Fibrosis, Katelaris A, Penny R, Breit SN, 779
Model of essential fatty acid deficiency, *in vitro*, 703
Modified (mismatched) panning technique, 803
Molecular and cell biologic characterization of the cytoplasmic domain of the 180-kD bullous pemphigoid antigen, 264
Molecular Cloning and Expression of a Novel Keratinocyte Protein (Psoriasis-associated fatty acid–binding protein [PA-FABP]) that is Highly Up-Regulated in Psoriatic Skin and That Shares Similarity to Fatty Acid–Binding Proteins, Madsen P, Rasmussen HH, Leffers H, Honoré B, Celis JE, 299
Molecular Heterogeneity of the Fourth Component of Complement (C4) and its Genes in Vitiligo, Venneker GT, Westerhof W, de Vries IJ, Drayer NM, Wolthers BG, de Waal LP, Bos JD, Asghar S, 853
Molecular Mechanisms of Human Melanocyte Attachment to Fibronectin, Scott G, Ryan DH, McCarthy JB, 787
Molecule, adhesion, expression in polymorphic light eruption, 504
Monoclonal antibody, novel, to a subset of cutaneous dendritic cells, 56S
Monocyte phosphodiesterase activity, synergistic effects of interleukin 4 and interferon-gamma on, 65
Mouse epidermis, 3-D reconstruction and stereometric analysis of Langerhans cells in, 774
mRNA
  cellular localization, 146
  IL-1β, 315
  interleukin 8, 830
  source for IL-1β and MIP-1α, 537
Multidomain adhesion proteins, 691
Multilamellar liposomes, 108
Multiple Endocytic Pathways, Anderson RGW, 7S
Murine
  dendritic cells, 365
  epidermal Langerhans cells, 803, 71S
  keratinocytes, 193
  Langerhans cells, 545
  Th2 cells, cytokine secretion pattern resemblance to, 90
Mutilating dystrophic epidermolysis bullosa, 808
Mycobacterium bovis BCG, 59

N

Necrosis, tumor, factor-alpha, 69S
Neonatal
  melanocytes, human, calmodulin gene expression in, 764
  skin explants, 350
Neoplasia, epidermal, 515
Nerve growth factor receptor in human skin, 734
Neutral metalloproteases in recessive dystrophic epidermolysis bullosa inversa, 550
Newborn foreskin fibroblasts, 201
^{19}F magnetic resonance spectroscopy, 431
1992 Articles of Association, European Society for Dermatological Research (as amended through the XVIIIth General Assembly of Members, June 20, 1988), Friedmann PS, 904
92-kDa
  keratinocyte-derived type IV collagenase, 836
  type IV collagenase mRNA, expression of, 497
Nodal T-cell lymphomas, primary, non-Hodgkin's, 587
Noncollagenous (NC1) Domain of Collagen VII Resembles Multidomain Adhesion Proteins Involved in Tissue-Specific Organization of Extracellular Matrix, Gammon WR, Abernethy ML, Padilla KM, Prisayanh PS, Cook ME, Wright J, Briggaman RA, Hunt SW III, 691
Normal
  epidermal differentiation, 795
  human keratinocytes, 409
  skin, scanning electron microscopy of the epidermal lamina densa in, 572
Novel Monoclonal Antibody to a Distinct Subset of Cutaneous Dendritic Cells, A, Kolde G, Mohamadzadeh M, Lipkow T, Knopp J, 56S
Nuclear Proteins Involved in Transcription of the Human K5 Keratin Gene, Ohtsuki M, Tomic-Canic M, Freedberg IM, Blumenberg M, 206
Nuclear retinoic acid receptor-γ1 in retinoic acid–treated human skin, 146
Nude mice, migration of Langerhans cells into the epidermis of grafted human skin, 54S

O

180-kD
  bullous pemphigoid antigen, 264
  protein, 174
180-kDa bullous pemphigoid antigen, cloning of partial cDNA for mouse, 258
Ontogenesis of the Basement Membrane Zone After Grafting Cultured Human Epithelium: A Morphologic and Immunoelectron Microscopic Study, Mommaas AM, Teepe RGC, Leigh IM, Mulder AA, Koebrugge EJ, Vermeer BJ, 71
Organ culture, whole skin, 623

Osteopetrosis (op) mutation, 46S
Oxidative stress, 859
Oxygen species, reactive, in skin inflammation, 675

P

Panning technique, modified (mismatched), 803
Papillomas, preclinical system for evaluating topical podofilox treatment, 813
Partial cDNA for lysyl hydroxylase, characterization of, 864
Patch test reactions, 48 h, effects of chemical irritants on the density of proliferating keratinocytes, 449
PCR detection of HIV-1 genome in epidermis of seropositive patients, 99S
Pemphigoid antigen, cicatricial, 174
Pemphigus foliaceous autoantigen within desmosomes, 323
Pemphigus foliaceus
  antigen fragment, immunoprecipitated, purification of, 819
  endemic, 78
Percutaneous Absorption of Flurbiprofen in the Hairless Rat Measured In Vivo Using ^{19}F Magnetic Resonance Spectroscopy, Lee DJ, Burt CT, Koch RL, 431
Percutaneous permeation of drugs, role of intercellular lipids in stratum corneum, 278
Perifollicular lymphoid infiltration, 40
Peripheral blood lymphocytes of patients with erythroderma, analysis of, 361
Peroxidase, horseradish, 53
Peroxides, treatment of cultured human keratinocytes, 859
Persistent Immune Tolerance to Nickel and Chromium by Oral Administration Prior to Cutaneous Sensitization, van Hoogstraten IMW, Boden D, von Blomberg BME, Kraal G, Scheper RJ, 608
Phorbol ester, 315
Phosphodiesterase, monocyte, activity, 65
Pigmentosum, xeroderma, complementation group A fibroblasts, 634
Pilosebaceous units, topical delivery enhancement with multilamellar liposomes, 108
Plasminogen activator activity in human and murine keratinocytes by TGF-β1, 193
Platelets, human blood, 27S
Podofilox treatment, topical, of papillomas, preclinical system for evaluating, 813
Polymerase chain reaction, 830
Polymorphic light eruption, adhesion molecule expression in, 504
Polymorphism of the Human Genome: Markers for Genetic Linkage Analyses in Heritable Diseases of the Skin, Christiano AM, Uitto J, 519
Port-wine stains, histochemistry after treatment, 160
Preclinical System for Evaluating Topical Podofilox Treatment of Papillomas: Dose-Response and Duration of Growth Prior to Treatment, Kreider JW, Christensen ND, Christian CB, Pickel MD, 813
Pregnancy, cutaneous blood flow in gestational hypertension and, 310
Pregnant Women with Endemic Pemphigus Foliaceus (Fogo Selvagem) Give Birth to Disease-Free Babies, Rocha-Alvarez R, Friedman H, Campbell IT, Souza-Aguiar L, Martins-Castro R, Diaz LA, 78
Presence of Amelanotic Melanocytes Within the Outer Root Sheath in Senile White Hair, Takada K, Sugiyama K, Yamamoto I, Ôba K, Takeuchi T, 629
Primary
  allogeneic T-cell response, 87S
  cutaneous T-cell lymphomas, non-Hodgkin's, 587
  nodal T-cell lymphomas, non-Hodgkin's, 587
Profilaggrin genes, 542
Progress in Dermatology: Dermatitis Herpetiformis, Hall RP III, 873
Progressive acute graft-versus-host disease, 397
Proliferating keratinocytes in 48 h patch test reactions, density of, 449
Protein(s)
  antigens, 331
  collagenous, 258
  cellular retinoid-binding, 795
  connexin 43, gap-junctional, 460
  expression in human skin, 343
  43, growth-associated, 734
  kinase C–related signal-transduction pathway, 482
  multidomain adhesion, 691
  nuclear, in transcription of human K5 keratin gene, 206
  180-kD, 174
  72-kD heat shock, 634
Protein Kinase C in Normal Human Epidermal Keratinocytes During Proliferation and Calcium-Induced Differentiation, Matsui MS, Chew SL, DeLeo VA, 565
Proteoglycan
  cell surface, identification and characterization of on keratinocytes, 374
  free chain expression in 3T3 fibroblasts and human keratinocytes, topography of, 386
  heparan sulfate, 381, 887
Proteoglycans Synthesized by Adult Human Epidermis in Whole Skin Organ Culture, Martikainen A-L, Tammi M, Tammi R, 623
Pseudo-B-cell lymphomas, 749
Pseudoxanthoma elasticum, 660
Psoriasis
  -associated fatty acid–binding protein, 299
  lesional elastase activity in, 306
  simple assays of retinoid activity in treatment of, 95
  type I keratinocyte transglutaminase, expression in human skin, 27
Psoriatic
  cytokine network, intraepidermal, 882
  patients, urine of, demonstration of skin-derived antileukoproteinase in, 3
Purification of Functional Active Epidermal Langerhans Cells: A Simple and Efficient New Technique, *rapid communication*, Morris J, Alaibac M, Jia M-H, Chu T, 237
Purification of Immunoprecipitated Pemphigus Foliaceus Antigen Fragment and Its Use in Radioimmunoassay, Labib RS, Izumi H, Santana H, Rock B, Anhalt GJ, 819
Push-pull meter, 232

Q

Quantitative Determination of EGF-R During Epidermal Wound Healing, Stoscheck CM, Nanney LB, King LE Jr, 645

R

Radiation, ultraviolet doses that modulate accessory cell activity and ICAM-1 expression, 71S
effects on murine epidermal Langerhans cells, 83
Radioimmunoassay, 819
Reactive oxygen species in skin inflammation, 675
Receptor(s)
  integrin, expression and role in Sézary syndrome, 151
  vitronectin, 715
Recessive
  dystrophic epidermolysis bullosa inversa, 550
  ichthyoses, autosomal, 755
Reconstructed epidermis, differential expression of calgranulin A and B in various epithelial cell lines, 639
Regulation of the Skin Immune System by Retinoids During Carcinogenesis, Halliday GM, Ho KK-L, Barnetson RStC, 83S
Relationship Between Cholesterol Sulfate and Intercellular Cohesion of the Stratum Corneum: Demonstration Using a Push-Pull Meter and an Improved High-Performance Thin-Layer Chromatographic Separation System of All Major Stratum Corneum Lipids, Serizawa S, Osawa K, Togashi K, Yamamoto A, Ito M, Hamanaka S, Otsuka F, 232
Relative Importance of Prior Basal Cell Carcinomas, Continuing Sun Exposure, and Circulating T Lymphocytes on the Development of Basal Cell Carcinoma, Robinson JK, Rademaker AW, 227
Relaxin Alone and in Conjunction with Interferon-γ Decreases Collagen Synthesis by Cultured Human Scleroderma Fibroblasts, Unemori EN, Bauer EA, Amento EP, 337
Release of Soluble FcγRII/CD32 Molecules by Human Langerhans Cells: A Subtle Balance Between Shedding and Secretion?, de la Salle C, Esposito-Farese M-E, Bieber T, Moncuit J, Morales M, Wollenberg A, de la Salle H, Fridman WH, Cazenave J-P, Teillaud J-L, Hanau D, 15S
Replication, fibroblast, in dermal fibrosis, 779
Retinoic acid
  identification, 842
  treatment, short term, 283
Retinoic acid–binding protein, cellular, 146
Retinoic acid–treated human skin, 146
Retinoid(s)
  activity, simple assays, in treatment of psoriasis, 95
  -binding proteins, cellular, 795

modulation of gap-junctional protein connexin 43 expression in dermis and epidermis of human skin, 460
regulation of the skin immune system during carcinogenesis, 83S
Retinol Uptake by Human Keratinocytes—Receptor-Mediated or Not?, *letter*, Vahlquist A, Törmä H, 512
RGDS, 656
Richard B. Stoughton, M.D.—A Tribute, *tribute*, Goltz RW, 668
Role of Intercellular Lipids in Stratum Corneum in the Percutaneous Permeation of Drugs, Harada K, Murakami T, Yata N, Yamamoto S, 278

S

Scanning Electron Microscopy of the Epidermal Lamina Densa in Normal Human Skin, Mihara M, Miura M, Suyama Y, Shimao S, 572
Schistosoma mansoni, 59
Scleroderma
fibroblasts, cultured human, 337
skin, 201
Sebaceous glands, 509
Sebocyte proliferation, human, in vitro control by testosterone and 5-alpha-dihydrotestosterone, 509
Selective Expansion of Vδ1 + T Cells from Leprosy Skin Lesions, Uyemura K, Ho CT, Ohmen JD, Rea TH, Modlin RL, 848
Selective Involvement of Keratins K1 and K10 in the Cytoskeletal Abnormality of Epidermolytic Hyperkeratosis (Bullous Congenital Ichthyosiform Erythroderma), Ishida-Yamamoto A, McGrath JA, Judge MR, Leigh IM, Lane EB, Eady RAJ, 19
Self-renewing epidermal keratinocytes, 422
Senile white hair, amelanotic melanocytes within the outer root sheath, 629
72-kD heat shock protein, induction in xeroderma pigmentosum complementation group A fibroblasts, 634
Sézary syndrome
expression and role of integrin receptors, 151
(SzS) patients, aberrant cytokine production, 90
Sheep skin, carcinogen-treated, 51S
Short-Term Retinoic Acid Treatment Increases In Vivo, but Decreases In Vitro, Epidermal Transglutaminase-K Enzyme Activity and Immunoreactivity, Griffiths CEM, Rosenthal DS, Reddy AP, Elder JT, Astrom A, Leach K, Wang TS, Finkel LJ, Yuspa SH, Voorhees JJ, Fisher GJ, 283
Sialyl Lewis X, human epidermal keratinocyte expression, 601
Signal-transduction pathway, protein kinase C–related, 482
Simple Assays of Retinoid Activity as Potential Screens for Compounds That May Be Useful in Treatment of Psoriasis, West MR, Page JM, Turner DM, Wood EJ, Holland DB, Cunliffe WJ, Rupniak HT, 95
Simple epithelial keratins, expression of, 515
SKALP, 3
Skin
adult, 201
-derived antileukoproteinase (SKALP) in urine of psoriatic patients, 3
disorders, genetic, of keratin, 671
fibroblast
elevated elastin production associated with Buschke-Ollendorf syndrome, 129
human, 864
grafts, cultured, functional innervation of, 120
heritable diseases, markers for genetic linkage analyses, 519
human
epidermis, 54S
mast cells, effect of FK-506 on, 723
nerve growth factor receptor, 734
retinoic acid–treated, 146
tuberculin-induced delayed-type hypersensitivity reactions, 784
immune system, regulation by retinoids during carcinogenesis, 83S
neonatal, explants, 350
scleroderma, 201
Skin Color Measurements in Terms of CIELAB Color Space Values, Weatherall IL, Coombs BD, 468
Skin Inflammation: Reactive Oxygen Species and the Role of Iron, Trenam CW, Blake DR, Morris CJ, 675
Sodium lauryl sulphate-induced contact dermatitis, 109S
Solar-simulated irradiation, 743
Spectroscopy, ^{19}F magnetic resonance, 431
Sphingoid bases in the stratum corneum of normal and pathologic human skin conditions, 617
Spiperone, topical, 594
Stereologic Estimation of Volume-Weighted Mean Nuclear Volume as a Predictor of Prognosis in "Thin" Malignant Melanoma, Binder M, Dolezal I, Wolff K, Pehamberger H, 180
Stereometric analysis of Langerhans cells in mouse epidermis, 774
Stimulation of collagenase production in cultured human fibroblasts by UVA irradiation, 440
Stimulation of Langerhans Cell Migration by Tumor Necrosis Factor α(TNF-α), Kimber I, Cumberbatch M, 48S
Stratification of keratinocytes, changes in syndecan-1, 390
Stratum corneum
ichthyoses, autosomal recessive, 755
intercellular cohesion, 232
membrane structural abnormalities in, 755
of normal and pathologic human skin conditions, 617
role of intercellular lipids, 278
Stress, oxidative, 859
Structural abnormalities, membrane, in the stratum corneum of the autosomal recessive ichthyoses, 755
Studies on Human Skin Lymph Containing Langerhans Cells from Sodium Lauryl Sulphate Contact Dermatitis, Brand CU, Hunziker T, Braathen LR, 109S
Subacute cutaneous lupus erythematosus and discoid lupus erythematosus, distinctions between, 251
Sun exposure, habitual, effect on the genetic response of cultured keratinocytes to solar-simulated irradiation, 743
Sunlight and ultraviolet A radiation sensitivities in cultured human melanocytes from black individuals differ from those of white individuals, 454
Syndecan-1, a Cell-Surface Proteoglycan, Changes in Size and Abundance when Keratinocytes Stratify, Sanderson RD, Hinkes MT, Bernfield M, 390
Synergistic Effects of Interleukin 4 and Interferon-Gamma on Monocyte Phosphodiesterase Activity, Li S-H, Chan SC, Toshitani A, Leung DYM, Hanifin JM, 65

T

T-cell(s)
activation, antigen-specific, 77S
adult, leukemia-derived factor/thioredoxin, 101
lymphoma, cutaneous, 514
receptor beta gene rearrangement, 361
response, primary allogeneic, accessory function of human Langerhans cells in, 87S
Vδ1 +, from leprosy skin lesions, 848
T-Cell Receptor Vβ-Family Usage in Primary Cutaneous and Primary Nodal T-Cell Non-Hodgkin's Lymphomas, Preesman AH, Hu H-Z, Tilanus MGJ, de Geus B, Schuurman H-J, Reitsma R, van Wichen DF, van Vloten WA, de Weger RA, 587
T-lymphocytes, 227
Testosterone, 509
TGFβ, expression in human epidermal dendritic cells, 114
TGF-β, 650, 808
TGF-β1, 193
The More Things Change . . . , *editorial*, O'Keefe EJ, 117
Thioredoxin, 101
Third International Workshop on Langerhans Cells: Discussion Overview, Bergstresser PR, Cruz PD Jr, Niederkorn JY, Takashima A, 1S
3β-hydroxysteroid dehydrogenase/δ5-δ4 isomerase in human skin, characterization, expression, and immunohistochemical localization of, 415
Three-Dimensional Reconstruction and Stereometric Analysis of Langerhans Cells in Mouse Epidermis, Karaś Z, Warchøl JB, Jaroszewski J, 774
3,4-dihydroxybenzylamine, 289
3T3 fibroblasts, 386
Th2
allergen-specific T-cells in atopic dermatitis, 103S
murine, cells, resemblance to cytokine secretion pattern in Sezary syndrome patients, 90
Thyroid hormone receptor, identification of, 842
TNF-α, 48S
Topical
podofilox treatment of papillomas, preclinical system for evaluating, 813
spiperone, 594
Topical Delivery Enhancement with Multilamellar Liposomes into Pilose-

baceous Units: I. In Vitro Evaluation Using Fluorescent Techniques with the Hamster Ear Model, Lieb LM, Ramachandran C, Egbaria K, Weiner N, 108
Topical Minoxidil in Alopecia Areata: No Effect on the Perifollicular Lymphoid Infiltration, Khoury EL, Price VH, Abdel-Salam MM, Stern M, Greenspan JS, 40
Topically Applied Verapamil Hydrochloride Inhibits Tuberculin-Induced Delayed-Type Hypersensitivity Reactions in Human Skin, McFadden J, Bacon K, Camp R, 784
Topography of Proteoglycan and Glycosaminoglycan Free Chain Expression in 3T3 Fibroblasts and Human Keratinocytes, Piepkorn M, Hovingh P, Linker A, 386
Transforming growth factor-α, 350
Transforming growth factor-alpha and cell surface receptors, 882
Transforming Growth Factor-β Up-Regulates the Expression of the Genes for β4 Integrin and Bullous Pemphigoid Antigens (BPAG1 and BPAG2) in Normal and Transformed Human Keratinocytes, Sollberg S, Ryynänen J, Olsen DR, Uitto J, 409
Transglutaminase-K enzyme activity and immunoreactivity, 283
Trichohyalin genes, 542
Tuberculin-induced delayed-type hypersensitivity reactions in human skin, inhibition by topically applied verapamil hydrochloride, 784
Tumor
-associated antigens, 66S
necrosis factor-alpha, 69S
progression, human melanocyte, 168
Two Size Alleles of Human Keratin 1 Are Due to a Deletion in the Glycine-Rich Carboxyl-Terminal V2 Subdomain, The, Korge BP, Compton JG, Steinert PM, Mischke D, 697
Type I collagen, 836
Type I Keratinocyte Transglutaminase: Expression in Human Skin and Psoriasis, Schroeder WT, Thacher SM, Stewart-Galetka S, Annarella M, Chema D, Siciliano MJ, Davies PJA, Tang H-Y, Sowa BA, Duvic M, 27
Type II keratin gene cluster, 524
Type IV collagenase and collagen matrices, 836
Tyrosinase, 435

U

Ultrastructural analysis of basal cell carcinoma in vitro, 474
Ultraviolet
irradiation, effect of local, on mice infected with *Candida albicans, Mycobacterium bovis* BCG, and *Schistosoma mansoni*, 59
radiation
effects on
epidermal proliferation and antioxidant status, 189
murine epidermal Langerhans cells, 83
modulation of accessory cell activity and ICAM-1 expression, 71S
Ultraviolet A and sunlight radiation sensitivities in cultured human melanocytes from black individuals differ from those of white individuals, 454
Ultraviolet A Irradiation Stimulates Collagenase Production in Cultured Human Fibroblasts, Petersen MJ, Hansen C, Craig S, 440
Ultraviolet B resistance and susceptibility, 74S
Ultraviolet Light Irradiation Increases Cellular Diacylglycerol and Induces Translocation of Diacylglycerol Kinase in Murine Keratinocytes, Punnonen K, Yuspa SH, 221
Urine of psoriatic patients, demonstration of skin-derived antileukoproteinase in, 3
Use of the Polymerase Chain Reaction in Quantification of Interleukin 8 mRNA in Minute Epidermal Samples, Paludan K, Thestrup-Pedersen K, 830
UV-irradiated mice, 20S

V

Vβ-family, T-cell receptor, 587
Vδ1 + T-cells from leprosy skin lesions, selective expansion, 848
Verapamil hydrochloride, topically applied, 784
Virus type 1, human immunodeficiency, isolation of, 271
Vitiligo
complement (C4), 853
keratinocytes in, 665
Vitronectin receptor, 715
Volume-weighted mean nuclear volume as a predictor of "thin" malignant melanoma prognosis, 180

W

Water space, interstitial, in human skin, microdialysis of, 357
Whole skin organ culture, 623
Workshop on Pseudoxanthoma Elasticum: Molecular Biology and Pathology of the Elastic Fibers, Jefferson Medical College, Philadelphia, Pennsylvania, June 10, 1992, Christiano AM, Lebwohl MG, Boyd CD, Uitto J, 660
Wound
fluid, biologic properties, 559
healing
abnormal, 579
collagenase in, 709
cutaneous, 870

X

Xeroderma pigmentosum complementation group A fibroblasts, 634